| Notice of Allowability   | Application No.  | Applicant(s)                     |        |
|--|--|----------------------------------|--------|
|  | 10/541,023   | WOOD, RICHARD                    | ROY    |
|  | Examiner   | Art Unit                         |        |
|  | Thu Khanh T. Nguyen  | 1722                             |        |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. |  |                                  |        |
| 1. This communication is responsive to <u>communications filed 6/28/2005</u> .   |  |                                  |        |
| 2. The allowed claim(s) is/are 16-38.  |  |                                  |        |
| <ul> <li>3.</li></ul>  |  |                                  |        |
| International Bureau (PCT Rule 17.2(a)).   |  |                                  |        |
| * Certified copies not received:   |  |                                  |        |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.   |  |                                  |        |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.   |  |                                  |        |
| 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.   |  |                                  |        |
| (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached   |  |                                  |        |
| 1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date   |  |                                  |        |
| (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of<br>Paper No./Mail Date  |  |                                  |        |
| Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  |  |                                  |        |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.  |  |                                  |        |
|  |  |                                  |        |
| <ol> <li>Attachment(s)</li> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statements (PTO/SB/08),         Paper No./Mail Date 6/28/05</li> <li>Examiner's Comment Regarding Requirement for Deposit         of Biological Material</li> </ol>  | <ul> <li>5. ☐ Notice of Informal F</li> <li>6. ☐ Interview Summary Paper No./Mail Da</li> <li>7. ☐ Examiner's Amendr</li> <li>8. ☒ Examiner's Stateme</li> <li>9. ☐ Other</li> </ul> | (PTO-413),<br>te<br>ment/Comment | owance |
|  |  |                                  |        |

Application/Control Number: 10/541,023 Page 2

Art Unit: 1722

## Allowable Subject Matter

1. Claims 16-38 are allowed over the prior art of record.

2. The following is an examiner's statement of reasons for allowance:

Krzepinski (4,690,626) discloses a rotational mold system with multiple stations, comprising a heating chamber opens in the bottom and movable in a vertical direction and a plurality of cooling stations arranged circularly around the heating chamber.

However, Krzepinski fails to disclose means for simultaneously raising the heating station housing and the cooling station enclosures from a carousel, while mold manupulators are rotated about an axis on that carousel.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thu Khanh T. Nguyen whose telephone number is 571-272-1136. The examiner can normally be reached on Monday- Friday, 7:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gupta Yogendra can be reached on 571-272-1316. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/541,023

Art Unit: 1722

Information regarding the status of an application may be obtained from the Detaut

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

TN 6/21/07

TIM HEITBRINK
PRIMARY EXAMINER
GROUP 130 / 723

Page 3

621-07